

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("5477531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:40
S2	1	(test adj packet\$1) with (protocol near1 layer\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 10:38
S3	1	(test adj packet\$1) with (protocol near1 layer\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:41
S4	1	("5822520").PN.	USPAT; USOCR	OR	OFF	2005/09/13 10:39
S5	5	(asynchron\$4 with test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:52
S6	8	(asynchron\$4 with test near2 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:57
S7	12	(ATM with test near2 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:58
S8	4	(ATM with test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:02

## EAST Search History

S9	0	(asynchroniz\$4 with (test adj (packet\$1 or message)))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:03
S10	0	(asynchroniz\$4 with (test near1 (packet\$1 or message)))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:03
S11	1	(asynchroniz\$4 same (test near1 (packet\$1 or message)))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:04
S12	0	(asynchroniz\$4 same (test near1 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:04
S13	13	(asynch\$6 same (test near1 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:23
S14	5	(asynch\$6 with (test near1 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:04
S15	36	(asynch\$6 same (test near4 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:33
S16	1	("5271000").PN.	USPAT; USOCR	OR	OFF	2005/09/13 12:36
S17	765	(asynchro\$5 with test)	USPAT	OR	OFF	2005/09/13 12:36

## EAST Search History

S18	5	(asynchro\$5 with test near1 packet)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:37
S19	78	(asynchro\$5 with test near1 data)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:57
S20	50	(asynchro\$5 with test near1 cell)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:57
S21	43	(asynchro\$5 with test adj cell\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:15
S22	4	(burst near4 test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:16
S23	8	(burst with test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:20
S24	8	(burst with test near1 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:20
S25	3	(burst with test near1 cell\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:20

## EAST Search History

S26	5	(burst with test near1 information\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:22
S27	8	(burst with test near1 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:22
S28	1	(burst with test near1 packet\$1) with interval\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:44
S29	1	("5822520").PN.	USPAT; USOCR	OR	OFF	2005/09/13 14:50
S30	3335075	test near1 packet\$1 and (command\$1 with layer\$) @ad<="20011210"	USPAT	OR	OFF	2005/09/13 14:51
S31	8	test near1 packet\$1 and (command\$1 with layer\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 14:57
S32	23	test near1 packet\$1 and (generat\$3 with layer\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 15:02
S33	2	test near1 packet\$1 and (generat\$3 with layer\$1 with buffer\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 15:03
S34	0	test near1 packet\$1 and (generat\$3 with layer\$1 with stor\$4\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 15:03
S35	1	test near1 packet\$1 and (generat\$3 with layer\$1 with stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:04
S36	46	test near1 packet\$1 and (layer\$1 with stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:07

## EAST Search History

S37	0	test near1 packet\$1 and (layer\$1 with retriev\$1 near4 stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:05
S38	1	test near1 packet\$1 and (layer\$1 with result\$1 near4 stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:05
S39	2	test near1 packet\$1 and (layer\$1 with result\$1 with stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:23
S40	2	("6862699").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:23
S41	0	test near1 packet\$1 and (heap with return\$3 near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:07
S42	0	test near1 packet\$1 and (heap with return\$3 near4 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:07
S43	1	test near1 packet\$1 and (heap with return\$3 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:08
S44	1	test near1 packet\$1 and (heap\$4 with return\$3 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:08

## EAST Search History

S45	1	test near1 packet\$1 and (heap\$4 SAME return\$3 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:08
S46	3	test near1 packet\$1 and (heap\$4 SAME PACKET\$1 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:36
S47	1	heap with "standard-size allocation units"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:36
S48	1	heap with "standard-size allocation "	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:37
S49	5	(heap with "4096" near1 bytes)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:47
S50	2	(stor\$3 same (heap with "4096" near1 bytes))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:13
S51	1	("6076113").PN.	USPAT; USOCR	OR	OFF	2005/09/13 17:14
S52	0	(burst with fix near1 size)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:17
S53	43	(burst with fixed near1 size)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:17

## EAST Search History

S54	0	(burst with fixed near1 size) and test near1 packet41 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:17
S55	0	(burst with fixed near1 size) and test near1 packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:18
S56	0	(burst with fixed near1 size) and test near4 packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:18
S57	4	(burst with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:20
S58	19	(burst same fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:31
S59	3	(burst same fixed near1 size near1 packet\$1) and test and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:20
S60	0	(generat\$5 with burst with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:31
S61	3	(generat\$5 with cell with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:32

## EAST Search History

S62	0	(generat\$5 same burst\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:32
S63	4	(burst\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:34
S64	4	(group\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:34
S65	28	(block\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:35
S66	4	(generat\$3 with block\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:35
S67	2	(block\$1 with fixed near1 size near1 packet\$1) and test near1 packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:40
S68	1	( packet near1 size ) with (("46" near1 bytes) near4 ("1500" near1 bytes)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:42
S69	6112	( packet near1 size ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:43



## EAST Search History

S70	90	( packet near1 size ) and test adj packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:43
S71	31	( packet near1 size with bytes) and test adj packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:44
S72	1	("20030220964:").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/15 10:07
S73	2	("6075773").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:05
S74	23701	test near1 (application\$1 or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:08
S75	71	test near1 (application\$1 or software or program) and (test near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:12
S76	11	test near1 (application\$1 or software or program) and (test near1 packet\$1) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:16
S77	3	test near1 packet\$1 with request\$3 with (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:20
S78	14	test near1 packet\$1 same request\$3 with (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:38

## EAST Search History

S79	1	test near1 packet\$1 same controller with (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:39
S80	12	test near1 packet\$1 same controller same (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:52
S81	1	("20020024973").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/16 15:53
S82	1	("20020006115").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/16 16:02
S83	2	("5477531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:06
S84	2	("5812528").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:07
S85	2	("5640504").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:08
S86	2	("5699539").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:09
S87	2	("6076113").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:12

## EAST Search History

S88	2	("6016308").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:12
S89	1	("6075773").PN.	USPAT; USOCR	OR	OFF	2006/03/28 17:06
S90	1	("5477531").PN.	USPAT; USOCR	OR	OFF	2006/03/28 17:12
S91	1	("5812528").PN.	USPAT; USOCR	OR	OFF	2006/03/28 17:16
S92	1	("6016308").PN.	USPAT; USOCR	OR	OFF	2006/03/28 17:23
S93	0	("8560285").PN.	USPAT; USOCR	OR	OFF	2006/03/28 17:23
S94	0	("8560285").PN.	USPAT; USOCR	OR	OFF	2006/03/28 17:23
S95	1	("5812528").PN.	USPAT; USOCR	OR	OFF	2006/03/28 17:59
S96	0	(analys\$4 with software) and (test with packet\$1) and (time with stamp\$3 with test with departur\$3 with arrival\$3) and @ad<="20011212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:02
S97	4	(analys\$4 with software) and (test with packet\$1) and (time with stamp\$3 with test ) and @ad<="20011212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:07
S98	93	(test with packet\$1) and (time with stamp\$3 with test ) and @ad<="20011212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:09
S99	6	(test with packet\$1) and (time with stamp\$3 with test ) same loop and @ad<="20011212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:30
S100	1	("5812528").PN.	USPAT; USOCR	OR	OFF	2006/03/28 18:38

## EAST Search History

S10 1	0	(generat\$3 with test) same (time with stamp\$3) same dispat\$5 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:39
S10 2	129	(generat\$3 with test) same (time with stamp\$3) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:40
S10 3	1419	(generat\$3 with test) and (time with stamp\$3) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:40
S10 4	36	(generat\$3 with test) with (time with stamp\$3) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:42
S10 5	2	(generat\$3 with test) with (time with stamp\$3 with (return\$3 or arriv\$4)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:52
S10 6	0	(generat\$3 with test) with (time with stamp\$3 with departu\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:53
S10 7	6	(generat\$3 with test) with (time with stamp\$3 ) and (loop with back) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:33
S10 8	1	("6,308,205").PN.	USPAT; USOCR	OR	OFF	2006/03/28 19:33
S10 9	1	("6,292,267").PN.	USPAT; USOCR	OR	OFF	2006/03/28 19:41
S11 0	1	("6,907,265").PN.	USPAT; USOCR	OR	OFF	2006/03/28 19:42
S11 1	1	("6,763,012").PN.	USPAT; USOCR	OR	OFF	2006/03/28 19:42

## EAST Search History

S11 2	1	("6,026,079").PN.	USPAT; USOCR	OR	OFF	2006/03/28 19:44
S11 3	16	(packet with context) same dial\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:47
S11 4	0	(packet with context) same dial\$1 and connect\$3 and disconnect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:47
S11 5	0	(packet with context) and dial\$1 and connect\$3 and disconnect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:47
S11 6	8	( context) and dial\$1 and connect\$3 and disconnect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:49
S11 7	0	( protocol near2 context) and dial\$1 and connect\$3 and disconnect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:49
S11 8	0	( protocol with context) and dial\$1 and connect\$3 and disconnect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:49
S11 9	351	( protocol with context) and dial\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:49
S12 0	138	( protocol with context) and dial\$1 and disconnect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:50

## EAST Search History

S12 1	138	( protocol with context) and dial\$1 and disconnect\$3 and connect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:50
S12 2	44	( protocol near3 context) and dial\$1 and disconnect\$3 and connect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:50
S12 3	30	( protocol near2 context) and dial\$1 and disconnect\$3 and connect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:03
S12 4	0	( protocol near2 context) same dial\$1 and disconnect\$3 and connect\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:50
S12 5	0	("20020087701").PN.	USPAT; USOCR	OR	OFF	2006/03/29 10:03
S12 6	1	("20020087701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 11:06
S12 7	1	("6522880").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 11:14
S12 8	1	("20020087701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 11:15
S12 9	1	("6269402").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 11:51
S13 3	0	("20020087701").PN.	USPAT; USOCR	OR	OFF	2006/03/29 12:39
S13 4	1	("20020087701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 12:54
S13 5	1	("20020087701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 14:02
S13 6	1	("20020024973").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 14:03

## EAST Search History

S13 7	1	("5812528").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 14:05
S13 8	1	("5,812,528").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 14:07
S13 9	1	("5,477,531").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 14:18
S14 0	1	("6,076,113").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 14:18
S14 1	1	(test near2 packet\$1) with (dispatch\$3 near4 port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:54
S14 2	2	("20020024973").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 10:52
S14 3	0	(test near2 generat\$3) with (dispatch\$3 near4 port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:54
S14 4	0	(test with generat\$3) with (dispatch\$3 near4 port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:54
S14 5	1	(test with generat\$3) same (dispatch\$3 near4 port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:54
S14 6	1	(test with generat\$3) same (dispatch\$3 near4 port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:55

## EAST Search History

S14 7	3	(test with generat\$3) same (dispatch\$3 with port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:56
S14 8	3	(test with generat\$3) same (dispatch\$3 with "I/O") and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:58
S14 9	83	(test with generat\$3) with (dispatch\$3) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:08
S15 0	0	(test with generat\$3) with (dispatch\$3) near1 ports and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:08
S15 1	0	(test with generat\$3) same (dispatch\$3) near1 ports and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:08
S15 2	10	(test with generat\$3) and (dispatch\$3) near1 ports and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:10
S15 3	4	(test) same (dispatch\$3) near1 ports and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:10
S15 4	38	(test) same (dispatch\$3) with ports and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:10



## EAST Search History

S15 5	2	((test) same (dispatch\$3) with ports).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:11
S15 6	22	((test) with (dispatch\$3) with ports) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:11
S15 7	4	test.ti. and ((test) with (dispatch\$3) with ports) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:13
S15 8	1	test.ti. and ((test) with (dispatch\$3) near2 interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:14
S15 9	0	((test) with (dispatch\$3) near2 ports) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:14
S16 0	0	((test) with (dispatch\$3) near2 port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:14
S16 1	22	((test) with (dispatch\$3) with port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:15
S16 2	41	"test." "ab." and ((test) with (dispatch\$3) with port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:15

## EAST Search History

S16 3	13	test.ab. and ((test) with (dispatch\$3) with port\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33
S16 4	44	((test near2 sequencer) with interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:12
S16 5	9	((test near2 sequencer) with interfaces).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:22
S16 6	0	(test near2 dipatcher near2 interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:11
S16 7	1088113	(test nwith dipatcher near2 interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:23
S16 8	0	(test with dipatcher near2 interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:46
S16 9	0	(test with dipatcher near4 interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33
S17 0	0	(test with dipatcher with interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:23

## EAST Search History

S17 1	6	(test with dispatcher near3 interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:31
S17 2	2	("20020174394").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 14:32
S17 3	185	(test near1 sequencers) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33
S17 4	41	(test near1 sequencers) with interfaces and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33
S17 5	95	"test." "ab." (test near1 sequencers) with interfaces and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33
S17 6	190	test.ab. and (test near2 sequencer) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:34
S17 7	83	test.ti. and (test near2 sequencer) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:34
S17 8	7	test.ti. and (test near2 sequencer) with instructions and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:41

## EAST Search History

S179	19	test.ab. and (test near2 sequencer) with instructions and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:16
S180	5	(test near2 sequencer) with processors with memory and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:18
S181	26	(test with sequencer) with processors with memory and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:27
S182	9	(test with sequencer) with processors with memory with instructions and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:21
S183	10	(test with sequencer) with processors with memory same instructions and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:21
S184	2	("20020024973").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 15:28
S185	2	("6163805").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 15:29
S186	2	("6,075,773").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 15:46

## EAST Search History

S18 7	107	(test adj1 sequencer) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:46
S18 8	23	(test adj1 sequencer) with generat\$3 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:27
S18 9	4	("6502051").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 16:21
S19 0	2	("5617531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:00
S19 1	2	("20030117959").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:08
S19 2	2	("20020024973").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:08
S19 3	2	("6163805").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:09
S19 4	2	("6075773").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:09

## EAST Search History

S19 5	2	("5617351").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:09
S19 6	2	("5617531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:10
S19 7	2	("5477531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 17:10
S19 8	1254	(kernel near2 mode\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:11
S19 9	1	(kernel near2 mode\$1) with (test near1 packets) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:11
S20 0	0	(kernel near2 mode\$1) with (test near1 signals) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:12
S20 1	0	(kernel near2 mode\$1) with (test near1 data) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:12
S20 2	22	(kernel near2 mode\$1) with (test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:13

## EAST Search History

S20 3	1	(kernel near2 mode\$1) same (test near3 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:13
S20 4	14	(kernel near4 mode\$1) same (test near3 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:14
S20 5	14	(kernel near4 mode\$1) same (test near2 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:15
S20 6	1	(kernel near4 mode\$1) same (test near1 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:15
S20 7	14	(kernel near4 mode\$1) same (test near3 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:15
S20 8	1	(kernel near4 mode\$1) with (test near3 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:15
S20 9	14	(kernel near4 mode\$1) same (test near3 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:18
S21 0	14	(kernel near4 mode\$1) same (test near2 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:16

## EAST Search History

S21 1	124	(kernel near4 mode\$1) and (test near2 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:16
S21 2	4	(test near2 (data packets signals)). ab. and (kernel near4 mode\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:17
S21 3	71	(kernel) with (test near3 (data packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:19
S21 4	2	(kernel) with (test near3 (data packets signals) with (send\$3 dispatch\$4)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:25
S21 5	20	(kernel) with test with (send\$3 dispatch\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:51
S21 6	32	(user-mode with interfaces) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:51
S21 7	0	(user-mode with interfaces with test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:51
S21 8	0	(user-mode with interfaces same test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:51



## EAST Search History

S21 9	6	(user-mode with interfaces and test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:52
S22 0	33	(user-mode same interfaces and test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:52
S22 1	33	(user-mode same interfaces and test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:52
S22 2	1088203	(user-mode same interfaces asame test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:52
S22 3	0	(user-mode same interfaces same test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:52
S22 4	18	(user-mode same interfaces and (test with (data packets signals))) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:30
S22 5	0	(user-mode with interfaces and (test with (data packets signals))) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:53
S22 6	18	(user-mode same interfaces and (test with (data packets signals))) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:07

## EAST Search History

S22 7	2	("20030084288").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 18:07
S22 8	2	("20030084388").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 18:17
S22 9	2	("20020024973").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 18:27
S23 0	2	("6975656").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 18:27
S23 1	1063	(counter\$3 with (time-stamp (time adj1 stamp))) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:31
S23 2	1	(counter\$3 with (time-stamp (time adj1 stamp)) with test adj2 (packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:13
S23 3	3	(counter\$3 with (time-stamp (time adj1 stamp)) same test adj2 (packets signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:40
S23 4	0	(mode with heaps with tests) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:40

## EAST Search History

S23 5	65	(mode with heaps ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:40
S23 6	0	(mode with heaps same test ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:40
S23 7	183	(heaps same test ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:40
S23 8	95	(heaps with test ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:41
S23 9	1	(heaps with test ) same mode and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:41
S24 0	0	(user-mode with heaps) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:41
S24 1	0	(user-mode with heap) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:42
S24 2	65	(mode with heap) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:57

## EAST Search History

S24 3	0	(mode with heap with test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:42
S24 4	18	(mode with heap and test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:43
S24 5	5	(mode with heap and test adj2 (packets data signals)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:56
S24 6	2	("5617531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 18:56
S24 7	792	(sequencer adj2 (program\$3 software)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 18:57
S24 8	3	(sequencer adj2 (program\$3 software)) with (generat\$3 with test) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 19:16
S24 9	2	("5640504").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 19:16
S25 0	2	("20050198111").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 13:24

## EAST Search History

S25 1	2	("5477531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 13:24
S25 2	2	("5057785").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 11:11
S25 3	2	("6212536").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 11:12
S25 4	2	("6324492").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 11:12
S25 5	15300	(port\$1 near3 (component socket kernel software programs)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:14
S25 6	869	(port\$1 near3 (component socket kernel software programs) with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:15
S25 7	568	(port\$1 near3 (socket\$1 kernel\$1 software\$1 programs) with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:15
S25 8	97	(port\$1 near3 (socket\$1 kernel\$1 software\$1 programs) with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) ).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:16

## EAST Search History

S25 9	68	((software\$1) near2 interface\$3 with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) ).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:17
S26 0	23	((software\$1) adj1 interface\$3 with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) ).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:20
S26 1	0	((software\$1) adj1 interface\$3 with measur\$ near4 (time-stamp\$3 timestamp\$4 time\$1 tim\$4) ).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:20
S26 2	0	((software\$1) adj1 interface\$3 with measur\$ near4 (time-stamp\$3 timestamp\$4 time\$1 tim\$4) )and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:20
S26 3	5	((software\$1) adj1 interface\$3 with measur\$ with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) )and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:22
S26 4	8	((software\$1) adj1 interface\$3 with measur\$ same (time-stamp\$3 timestamp\$4 time\$1 tim\$4) )and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:24
S26 5	1459	((software\$1 program\$3) adj2 interface\$3 with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) )and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:25
S26 6	136	((software\$1 program\$3) adj2 interface\$3 with (time-stamp\$3 timestamp\$4 time\$1 tim\$4) ).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:26

## EAST Search History

S26 7	1	((software\$1 program\$3) adj2 interface\$3 with (time-stamp\$3 timestamp\$4) ).ab. and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:38
S26 8	0	((software\$1 program\$3) adj2 interface\$3 near2 (time-stamp\$3 timestamp\$4) ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:38
S26 9	0	((software\$1 program\$3) adj2 interface\$3 near4 (time-stamp\$3 timestamp\$4) ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:39
S27 0	2	((software\$1 program\$3) adj2 interface\$3 near4 (time-stamp\$3 timestamp\$4 "time stamps") ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:39
S27 1	2	("6,108,447").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 16:13
S27 2	2	("20020024973").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 16:13
S27 3	2	("6742045").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 13:26
S27 4	2	("6601170").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 13:26

## EAST Search History

S27 5	2	("6108447").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 13:36
----------	---	-----------------	---	----	-----	------------------